



ELSEVIER

Aquaculture 187 (2000) 411–413

Aquaculture

www.elsevier.nl/locate/aqua-online

Contents of *Aquaculture*, Volume 187

VOL. 187 NOS. 1, 2

5 July 2000

Diseases, Parasites and Predators

Pharmacokinetics, tissue distribution, and metabolism of flumequine in channel catfish (*Ictalurus punctatus*)

S.M. Plakas, K.R. El Said (Dauphin Island, AL, USA) and S.M. Musser (Washington, DC, USA) 1

Demonstration of residual antibacterial activity in plasma of vaccinated *Penaeus vannamei*

A.O. Alabi, J.W. Latchford and D.A. Jones (Bangor, UK) 15

Genetics and Breeding

Predicting shrimp disease occurrence: artificial neural networks vs. logistic regression

P.S. Leung (Honolulu, HI, USA) and L.T. Tran (University Park, PA, USA) 35

The use of allozymes and shell morphology to distinguish among sympatric species of the rock oyster *Saccostrea* in Thailand

A.J. Day, A.J.S. Hawkins (Plymouth, UK) and P. Visootviseth (Bangkok, Thailand) 51

Optimization of tetraploid induction in Pacific oysters, *Crassostrea gigas*, using first polar body as a natural indicator

B. Eudeline (Caen, France), S.K. Allen Jr. (Gloucester Point, VA, USA) and X. Guo (Port Norris, NJ, USA) 73

Husbandry and Management

Evaluation of diets for culture of the calanoid copepod *Gladioferens imparipes*

M.F. Payne and R.J. Rippingale (Perth, Western Australia, Australia) 85

Growth of blacklip pearl oyster (*Pinctada margaritifera*) juveniles using different nursery culture techniques

P.C. Southgate and A.C. Beer (Townsville, Queensland, Australia) 97

Sensory characteristics of farmed and wild Atlantic salmon

L.J. Farmer, J.M. McConnell and D.J. Kilpatrick (Belfast, UK) 105

Stocking densities for nursery phase culture of the freshwater prawn *Macrobrachium rosenbergii* in cages

H.L. de A. Marques, J.V. Lombardi and M.V. Boock (São Paulo, Brazil) 127

Nutrition

Size-related feeding and gastric evacuation measurements for the Southern brown shrimp *Penaeus subtilis*

A.J.P. Nunes (Ceará, Brazil) and G.J. Parsons (St. John's, Newfoundland, Canada) 133

Effects of dietary carnitine on growth rates and body composition of hybrid striped bass (*Morone saxatilis* male x *M. chrysops* female)

R.G. Twibell and P.B. Brown (West Lafayette, IN, USA) 153

Availability and utilisation of free lysine in rainbow trout (<i>Oncorhynchus mykiss</i>) 1. Effect of dietary crude protein level M. Rodehutsord, F. Borchert, Z. Gregus (Bonn, Germany), M. Pack (Hanau, Germany) and E. Pfeffer (Bonn, Germany)	163
Availability and utilisation of free lysine in rainbow trout (<i>Oncorhynchus mykiss</i>) 2. Comparison of L-lysine · HCl and L-lysine sulphate M. Rodehutsord, F. Borchert, Z. Gregus and E. Pfeffer (Bonn, Germany)	177
Pacific oyster (<i>Crassostrea gigas</i>) feeding responses to a fish-farm effluent S. Lefebvre (L'Houmeau, France), L. Barillé (Nantes, France) and M. Clerc (L'Houmeau, France)	185

VOL. 187 NOS. 3, 4

20 July 2000

Diseases, Parasites and Predators

Antimicrobial resistance patterns in Danish isolates of <i>Flavobacterium psychrophilum</i> M.S. Bruun, A.S. Schmidt, L. Madsen and I. Dalsgaard (Frederiksberg, Denmark)	201
Single-dose pharmacokinetic study of oxolinic acid and vetoquinol, an oxolinic acid ester, in Atlantic salmon (<i>Salmo salar</i>) held in seawater and in vitro antibacterial activity against <i>Aeromonas salmonicida</i> O.B. Samuelsen, A. Ervik (Bergen, Norway), L. Pursell and P. Smith (Galway City, Ireland)	213
Effects on survival and mucous cell proliferation of Atlantic halibut, <i>Hippoglossus hippoglossus</i> L., larvae following microflora manipulation O.H. Ottesen (Bodø, Norway) and J.A. Olafsen (Tromsø, Norway)	225
Seasonal population dynamics of parasitic copepods, <i>Sinergasilus</i> spp. on farmed fish in China P. Nie and W.J. Yao (Wuhan, People's Republic of China)	239
Selection of host sample number and design of a monitoring programme for ectoparasitic sea lice (Copepoda: Caligidae) on farmed Atlantic salmon, <i>Salmo salar</i> J.W. Treasurer and J.A. Pope (Inverness-shire, UK)	247
Occurrence of <i>Ergasilus celestis</i> (Copepoda) and <i>Pseudodactylogyrus anguillae</i> (Monogenea) among wild eels (<i>Anguilla rostrata</i>) in relation to stream flow, pH and temperature and recommendations for controlling their transmission among captive eels D.E. Barker and D.K. Cone (Halifax, Nova Scotia, Canada)	261
Association between trichodiniasis in eel (<i>Anguilla anguilla</i>) and water quality in recirculation systems H.C.K. Madsen, K. Buchmann and S. Møllergaard (Frederiksberg C, Denmark)	275

Genetics and Breeding

Genetic variation of wild and hatchery populations of the Pacific oyster, <i>Crassostrea gigas</i> (Thunberg), in Australia L.J. English (Hobart, Tas., Launceston, Tas., Australia), G.B. Maguire (Western Australia, Australia) and R.D. Ward (Hobart, Tas., Australia)	283
--	-----

Husbandry and Management

Shorter immersion times increase yields of the blacklip pearl oyster, <i>Pinctada margaritifera</i> (Linne.), from spat collectors in Solomon Islands K.J. Friedman (Honiara, Solomon Islands; Townsville, Queensland, Australia) and J.D. Bell (Honiara, Solomon Islands)	299
Connection between egg size and early mortality in arctic charr, <i>Salvelinus alpinus</i> B. Jónsson and E. Svavarsson (Saudárkrúkur, Iceland)	315
Application of a comprehensive modeling strategy for the management of net-pen aquaculture waste transport R.W. Dudley (Augusta, ME, USA), V.G. Panchang (Silver Spring, MD, USA) and C.R. Newell (Tenants Harbor, ME, USA)	319
The degradation of fish-cage waste in sediments during fallowing T.K. McGhie (Hobart, Tas., Australia), C.M. Crawford, I.M. Mitchell (Taroona, Tas., Australia) and D. O'Brien (Dover, Tas., Australia)	351

Nutrition

Amino acid composition of whole body tissue of Atlantic halibut (<i>Hippoglossus hippoglossus</i>), yellowtail flounder (<i>Pleuronectes ferruginea</i>) and Japanese flounder (<i>Paralichthys olivaceus</i>) J.-D. Kim and S.P. Lall (Halifax, Nova Scotia, Canada)	367
Self-selection of diets with different amino acid profiles by rainbow trout (<i>Oncorhynchus mykiss</i>) T. Yamamoto, T. Shima, H. Furuita (Mie, Japan), M. Shiraishi (Yokohama, Japan), F.J. Sánchez-Vázquez (Murcia, Spain) and M. Tabata (Yamanashi, Japan)	375
Effects of $n - 3$ HUFA levels in broodstock diet on the reproductive performance and egg and larval quality of the Japanese flounder, <i>Paralichthys olivaceus</i> H. Furuita, H. Tanaka, T. Yamamoto (Mie, Japan), M. Shiraishi (Yokohama, Japan) and T. Takeuchi (Tokyo, Japan)	387
Effects of feeding frequency and dietary moisture content on growth, body composition and gastric evacuation of juvenile Korean rockfish (<i>Sebastes schlegeli</i>) S.-M. Lee (Kangnung, South Korea), U.-G. Hwang (Hakodate, Japan) and S.H. Cho (Pusan, South Korea)	399
Contents of Aquaculture, Volume 187	411

